



## polytouch® 27 passport Twin V1


### Overview

<b>DISPLAY</b>	Screen size	685.65 mm (27.0")
	Viewing Angle (CR>10)	R/L 178 U/D 178
	Resolution	1920 x 1080 (Full HD)
	Luminance	300 cd/m <sup>2</sup>
	Coating	Glare or Antiglare
<b>TOUCH CONTROLLER</b>	Touch technology	Projected capacitive touch (PCT)
	Simultaneous touches	10 touches and palm rejection
	Latency	<10 ms
<b>COMPUTER UNIT</b>	Processor	Intel® Core™ i5-6500T Skylake 4C/4T 2.5 Ghz 6 MB
	Chipset	Intel® Q170 chipset
	Graphics	Intel® HD530 graphics
	Memory	8 GB DDR4 (up to 16 GB)
<b>CHASSIS</b>	Material System	Steel powder coated RAL 9005, 9007, 9010
	Dimensions (WxHxD)	402 x 2253 x 488 mm/15.83 x 88.7 x 19.21 inch
	Mounting	Design Pedestal
<b>COMPONENTS</b>	Imager	Honeywell CM3680 (optional)
	Payment terminal	Verifone MX915 (optional)
	Printer	Epson TM-T88V (optional)

# polytouch<sup>®</sup> 27 passport Twin V1

## Dimensions (in mm/inch)

Figure shows configuration variant



## polytouch® 27 passport Twin V1

