



polytouch[®] 27 passport Twin V2


Overview

DISPLAY	Screen size	685.65 mm (27.0")
	Viewing Angle (CR>10)	R/L 178 U/D 178
	Resolution	1920 x 1080 (Full HD)
	Luminance	300 cd/m ²
	Coating	Glare or Antiglare
TOUCH CONTROLLER	Touch technology	Projected capacitive touch (PCT)
	Simultaneous touches	10 touches and palm rejection
	Latency	<10 ms
COMPUTER UNIT	Processor	Intel [®] Core™ i5-6500T Skylake 4C/4T 2.5 Ghz 6 MB
	Chipset	Intel [®] Q170 chipset
	Graphics	Intel [®] HD530 graphics
	Memory	8 GB DDR4 (up to 16 GB)
CHASSIS	Material System	Steel powder coated RAL 9005, 9007, 9010
	Dimensions (WxHxD)	420 x 2252 x 488 mm/16.54 x 88.66 x 19.21 inch
	Mounting	Design Pedestal
COMPONENTS	Imager	Honeywell CM3680 (optional)
	Payment terminal	Verifone MX915 (optional)
	Printer	Epson TM-T88V (optional)

polytouch[®] 27 passport Twin V2

Dimensions (in mm/inch)

Figure shows configuration variant



polytouch® 27 passport Twin V2

